ELSEVIER

Analytica Chimica Acta 487 (2003) 261–263

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Adányi, N., see Székács, A. 31
Ahmadi, Sh., see Ghasemi, J. 181
Aleixo, L.M., see de Andrade, J.C. 243
Ayora-Cañada, M.J., see Muik, B. 211

Bailey, M.J., see Philp, J.C. 61
Bailey, R.T.
—, Cruickshank, F.R., Deans, G., Gillanders, R.N. and Tedford, M.C.
Characterization of a fluorescent sol–gel encapsulated erythrosin B dissolved oxygen sensor 101
Balmand, S., see Philp, J.C. 61
Baumstark-Khan, C.
—, Khan, R.A., Rettberg, P. and Horneck, G.
Bacterial *Lux-Fluoro* test for biological assessment of pollutants in water samples from urban and rural origin 51

Cai, Y.-Q., see Liu, J.-F. 129
Chen, Z.-P.
— and Yu, R.-Q.
Mitigating model deficiency in three-way data analysis by the combination of background constraining and iterative correcting techniques 171
Cheng, B.-M., see Huang, L.-F. 145
Chi, Y.-G., see Liu, J.-F. 129
Coenegracht, P.M.J., see van Zomeren, P.V. 155
Compagnone, D., see Valentini, F. 83
Coscione, A.R., see de Andrade, J.C. 243
Cruickshank, F.R., see Bailey, R.T. 101

Darwinkel, H., see van Zomeren, P.V. 155
de Abreu, M.F., see de Andrade, J.C. 243
de Almeida, A.M., see de Andrade, J.C. 243
de Andrade, J.C.
—, de Almeida, A.M., Aleixo, L.M., Coscione, A.R. and de Abreu, M.F.
Direct voltammetric determination of Mo(VI) in plants: the need for a multivariate study of interferences 243
de Jong, G.J., see van Zomeren, P.V. 155
De Saeger, S.
—, Sibanda, L. and Van Peteghem, C.
Analysis of zearalenone and α-zearalenol in animal feed using high-performance liquid chromatography 137
Deans, G., see Bailey, R.T. 101
Dunbar, S.A., see Philp, J.C. 61

El-Shahawi, M.S.
— and Nassif, H.A.
Kinetics and retention characteristics of some nitrophenols onto polyurethane foams 249

Forshed, J.
—, Schuppe-Koistinen, I. and Jacobsson, S.P.
Peak alignment of NMR signals by means of a genetic algorithm 189

Griffin, G.D., see Myong Song, J. 75
Galindo-Riaño, M.D., see Jurado-González, J.A. 229
García-Vargas, M., see Jurado-González, J.A. 229
Ghasemi, J.
—, Ahmadi, Sh. and Torkestani, K.
Simultaneous determination of copper, nickel, cobalt and zinc using zincon as a metallochromic indicator with partial least squares 181
Gillanders, R.N., see Bailey, R.T. 101
Giraudi, G., see Valentini, F. 83
Gorton, L., see Haghighi, B. 3
Goto, T.
—, Ito, Y., Oka, H., Saito, I., Matsumoto, H. and Nakazawa, H.
Simple and rapid determination of *N*-methylcarbamate pesticides in citrus fruits by electrospray ionization tandem mass spectrometry 201
Guo, F.-Q., see Huang, L.-F. 145

Haghighi, B.
—, Gorton, L., Ruzgas, T. and Jönsson, L.J.
Characterization of graphite electrodes modified with laccase from *Trametes versicolor* and their use for bioelectrochemical monitoring of phenolic compounds in flow injection analysis 3
Haglund, P., see Nording, M. 43
Hajto, E., see Philp, J.C. 61
Hajto, J., see Philp, J.C. 61
Hammock, B.D., see Székács, A. 15
Horneck, G., see Baumstark-Khan, C. 51
Hu, Q.-N., see Huang, L.-F. 145
Huang, L.-F.
—, Guo, F.-Q., Liang, Y.-Z., Hu, Q.-N. and Cheng, B.-M.
Rapid simultaneous determination of arginine and methylated arginines in human urine by high-performance liquid chromatography–mass spectrometry 145

doi:10.1016/S0003-2670(03)00749-9

Ito, Y., see Goto, T. 201

Jacobsson, S.P., see Forshed, J. 189
Jiang, G.-B., see Liu, J.-F. 129
Jönsson, L.J., see Haghighi, B. 3
Jurado-González, J.A.
—, Galindo-Riaño, M.D. and García-Vargas, M.
Experimental designs in the development of a new method for the sensitive determination of cadmium in seawater by adsorptive cathodic stripping voltammetry 229
Juskowiak, B.
Simple fluorimetric method for probing AT-rich regions in DNA based on the photoisomerization of distilbazolium ligand 221

Kato, K., see Sun, L.-X. 109
Khan, R.A., see Baumstark-Khan, C. 51
Kryc, K.A.
—, Murray, R.W. and Murray, D.W.
Elemental fractionation of Si, Al, Ti, Fe, Ca, Mn, P, and Ba in five marine sedimentary reference materials: results from sequential extractions 117

Lamb, D.J., see Martin, S.P. 91
Le, H.T.M., see Székács, A. 15
Lendl, B., see Muik, B. 211
Liang, X., see Liu, J.-F. 129
Liang, Y.-Z., see Huang, L.-F. 145
Lilley, A.K., see Philp, J.C. 61
Liu, G.-G., see Liu, J.-F. 129
Liu, J.-F.
—, Liang, X., Chi, Y.-G., Jiang, G.-B., Cai, Y.-Q., Zhou, Q.-X. and Liu, G.-G.
High performance liquid chromatography determination of chlorophenols in water samples after preconcentration by continuous flow liquid membrane extraction on-line coupled with a precolumn 129
Lynch, J.M., see Martin, S.P. 91

Mahipal Reddy, A., see Sun, L.-X. 109
Martin, S.P.
—, Lamb, D.J., Lynch, J.M. and Reddy, S.M.
Enzyme-based determination of cholesterol using the quartz crystal acoustic wave sensor 91
Matsuda, N., see Sun, L.-X. 109
Matsumoto, H., see Goto, T. 201
Molina-Díaz, A., see Muik, B. 211
Muik, B.
—, Lendl, B., Molina-Díaz, A. and Ayora-Cañada, M.J.
Direct, reagent-free determination of free fatty acid content in olive oil and olives by Fourier transform Raman spectrometry 211
Murray, D.W., see Kryc, K.A. 117
Murray, R.W., see Kryc, K.A. 117
Myong Song, J.
—, Griffin, G.D. and Vo-Dinh, T.
Application of an integrated microchip system with capillary array electrophoresis to optimization of enzymatic reactions 75

Nakazawa, H., see Goto, T. 201
Nassif, H.A., see El-Shahawi, M.S. 249
Nording, M.
— and Haglund, P.
Evaluation of the structure/cross-reactivity relationship of polycyclic aromatic compounds using an enzyme-linked immunosorbent assay kit 43

Oka, H., see Goto, T. 201
Okada, T., see Sun, L.-X. 109

Palleschi, G., see Valentini, F. 83
Philp, J.C.
—, Balmand, S., Hajto, E., Bailey, M.J., Wiles, S., Whiteley, A.S., Lilley, A.K., Hajto, J. and Dunbar, S.A.
Whole cell immobilised biosensors for toxicity assessment of a wastewater treatment plant treating phenolics-containing waste 61

Reddy, S.M., see Martin, S.P. 91
Rettberg, P., see Baumstark-Khan, C. 51
Ruzgas, T., see Haghighi, B. 3

Saito, I., see Goto, T. 201
Schuppe-Koistinen, I., see Forshed, J. 189
Sibanda, L., see De Saeger, S. 137
Sun, L.-X.
—, Mahipal Reddy, A., Matsuda, N., Takatsu, A., Kato, K. and Okada, T.
Simultaneous determination of methylene blue and new methylene blue by slab optical waveguide spectroscopy and artificial neural networks 109
Székács, A.
—, Le, H.T.M., Szurdoki, F. and Hammock, B.D.
Optimization and validation of an enzyme immunoassay for the insect growth regulator fenoxycarb 15
Székács, A.
—, Trummer, N., Adányi, N., Váradi, M. and Szendrő, I.
Development of a non-labeled immunosensor for the herbicide trifluralin *via* optical waveguide lightmode spectroscopic detection 31
Szendrő, I., see Székács, A. 31
Szurdoki, F., see Székács, A. 15

Takatsu, A., see Sun, L.-X. 109
Tedford, M.C., see Bailey, R.T. 101
Torkestani, K., see Ghasemi, J. 181
Trummer, N., see Székács, A. 31

Valentini, F.
—, Compagnone, D., Giraudi, G. and Palleschi, G.
Electrochemical ELISA for the screening of DDT related compounds: analysis in waste waters 83
Van Peteghem, C., see De Saeger, S. 137
van Zomeren, P.V.
—, Darwinkel, H., Coenegracht, P.M.J. and de Jong, G.J.

Comparison of several curve resolution methods for drug impurity profiling using high-performance liquid chromatography with diode array detection 155
Váradi, M., see Székács, A. 31
Vo-Dinh, T., see Myong Song, J. 75
Whiteley, A.S., see Philp, J.C. 61
Wiles, S., see Philp, J.C. 61
Yu, R.-Q., see Chen, Z.-P. 171
Zhou, Q.-X., see Liu, J.-F. 129